

EQUALIZATION STEERING COMMITTEE

January 15, 2026

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

December 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.21 \$Cdn / m³ per kg/m³
Calculated Density 923.2 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 483.48 \$Cdn / m ³
Heavy Allowance Price:	\$ 398.66 \$Cdn / m ³
Enbridge Reference Temperature:	8.98 Celsius
Average Condensate Density:	752.3 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

December 11, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

November 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.17 \$Cdn / m³ per kg/m³
Calculated Density 925.9 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 503.29 \$Cdn / m ³
Heavy Allowance Price:	\$ 427.04 \$Cdn / m ³
Enbridge Reference Temperature:	11.50 Celsius
Average Condensate Density:	745.1 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

November 17, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

October 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.20 \$Cdn / m³ per kg/m³
Calculated Density 930.0 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 508.40 \$Cdn / m ³
Heavy Allowance Price:	\$ 423.20 \$Cdn / m ³
Enbridge Reference Temperature:	14.73 Celsius
Average Condensate Density:	749.4 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended. <https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

October 15, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

September 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.22 \$Cdn / m3 per kg/m3
Calculated Density 933.6 kg / m3

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 537.03 \$Cdn / m3
Heavy Allowance Price:	\$ 444.45 \$Cdn / m3
Enbridge Reference Temperature:	17.75 Celsius
Average Condensate Density:	748.5 kg / m3

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m3 per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m3
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

September 11, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

August 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.16 \$Cdn / m3 per kg/m3
Calculated Density 934.3 kg / m3

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 533.03 \$Cdn / m3
Heavy Allowance Price:	\$ 460.93 \$Cdn / m3
Enbridge Reference Temperature:	18.26 Celsius
Average Condensate Density:	748.6 kg / m3

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m3 per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m3
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

August 15, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

July 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.17 \$Cdn / m3 per kg/m3
Calculated Density 931.9 kg / m3

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 573.53 \$Cdn / m3
Heavy Allowance Price:	\$ 497.50 \$Cdn / m3
Enbridge Reference Temperature:	16.52 Celsius
Average Condensate Density:	744.2 kg / m3

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m3 per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m3
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

July 15, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

June 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.24 \$Cdn / m³ per kg/m³
Calculated Density 928.7 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price: \$ 599.99 \$Cdn / m³
Heavy Allowance Price: \$ 496.58 \$Cdn / m³
Enbridge Reference Temperature: 14.00 Celsius
Average Condensate Density: 741.8 kg / m³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4- Less than or equal to 5.0 vol% = no penalty
Greater than 5.0 vol% = zero value
Density: 750.0 kg / m³
Sulphur: 0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

June 11, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

May 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.18 \$Cdn / m³ per kg/m³
Calculated Density 924.8 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 523.58 \$Cdn / m ³
Heavy Allowance Price:	\$ 446.18 \$Cdn / m ³
Enbridge Reference Temperature:	10.53 Celsius
Average Condensate Density:	747.1 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

May 9, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

April 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.21 \$Cdn / m3 per kg/m3
Calculated Density 921.7 kg / m3

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 532.55 \$Cdn / m3
Heavy Allowance Price:	\$ 442.89 \$Cdn / m3
Enbridge Reference Temperature:	8.00 Celsius
Average Condensate Density:	747.0 kg / m3

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m3 per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty Greater than 5.0 vol% = zero value
Density:	750.0 kg / m3
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.
<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

April 15, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

March 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.24 \$Cdn / m³ per kg/m³
Calculated Density 921.0 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 586.83 \$Cdn / m ³
Heavy Allowance Price:	\$ 485.21 \$Cdn / m ³
Enbridge Reference Temperature:	7.50 Celsius
Average Condensate Density:	745.7 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty
	Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended.

<https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

March 13, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

February 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.23 \$Cdn / m³ per kg/m³
Calculated Density 920.8 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 631.11 \$Cdn / m ³
Heavy Allowance Price:	\$ 528.76 \$Cdn / m ³
Enbridge Reference Temperature:	7.50 Celsius
Average Condensate Density:	741.8 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty
	Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended. <https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.

EQUALIZATION STEERING COMMITTEE

February 14, 2025

Condensate Equalization Data

On behalf of the industry Equalization Steering Committee and per the Condensate Equalization Procedures (December 2022), the following information is to be used in the quality differential calculations for the production month of:

January 2025

SUMMARY OUTPUT

Based on the model inputs, the Equalization results are:

Density Slope: \$ 0.26 \$Cdn / m³ per kg/m³
Calculated Density 921.1 kg / m³

SUMMARY INPUT

The variables used in the calculation of the density slope are as follows:

Condensate Allowance Price:	\$ 674.85 \$Cdn / m ³
Heavy Allowance Price:	\$ 562.25 \$Cdn / m ³
Enbridge Reference Temperature:	7.74 Celsius
Average Condensate Density:	741.8 kg / m ³

ADDITIONAL INFORMATION

¹Sulphur: \$ 1.38 \$Cdn / m³ per 0.1 wt%

All quality adjustments should be calculated using the following reference values:

* Deemed C4-	Less than or equal to 5.0 vol% = no penalty
	Greater than 5.0 vol% = zero value
Density:	750.0 kg / m ³
Sulphur:	0.2 wt%

For any clarification pertaining to this matter, please feel free to contact members of the Equalization Steering Committee.

<https://www.industryeq.ca/contact/>

* Effective February 2013 production, the butane valuation in the condensate stream WADF calculation has been amended. <https://www.industryeq.ca/eq-documentation/>

See notice in *Change to Butane Valuation in Stream WADF Calculation* link.

^[1] Effective February 1, 2015, the sulphur penalty is 1.38 \$Cdn/m³ per 0.1 wt% sulphur. On December 17, 2014 industry voted to carry forward the current crude equalization scale indefinitely with an annual review.

^[2] Effective January 2019 production, model update: on August, 2018 industry voted to update the shinkage equation to API 12.3 and update the Heavy Allowance Price basis to include Enbridge Edmonton Dilbit Pool.

^[3] Effective May 2020 production: in accordance with industry vote in May 2020 on adjustments to address the effects of negative pricing. 1. In the event of a negative Condensate allowance price, the Deemed Butane penalty for that month will be set at zero. 2. In the event of negative condensate/heavy price differential, the density penalty will be set at zero for that month.

^[4] Effective February 2023 production: in accordance with industry vote in December 2022, the Equalization Procedures Guide was updated and changes took effect for the production month of February 2023.

^[5] **NEW:** Effective October 2024 production: in accordance with industry vote in September 2024, the Equalization Procedures Guide was updated and changes will take effect for the production month of October 2024. The approved document can be downloaded from the www.industryeq.ca website.